

Article Number: 596-00251

CAUTION SOLAR CIRCUIT

Description: Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg

Base Data		
	Local Order Number	596-00251
	Туре	CSCSNAP72R
	Color	Red (RD)
	Features and benefits	 Made with UV stable inks and materials for durability and weather resistance. The labels are supplied with aggresive adhesive to ensure long life. Solar Installation labels meet NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.
	Quantity Per	reel
	Product Description	These HellermannTyton photovoltaic caution and power source markers are designed to meet the requirements of the National Electrical Code (NEC) International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Coiled markers are pre-printed, non-adhesive and made of a UV stable vinyl. Markers can be opened and snapped over cables for long-term, reflective, permanent identification. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed. Vinyl markers fit all standard PV cables or electrical metallic tubing (EMT) conduits.
	Technical Description	Pre-Printed Solar Marker, Reflective, Non-Adhesive, Coiled, "CAUTION: SOLAR CIRCUIT", 7.25" X 5", Red
	Short Description	Solar Marker, Reflective, Non-Adhesive, CAUTION: SOLAR CIRCUIT, 7.25" x 5", VL, Red, 25/pkg
Product Dimensions		
	Width W (Imperial)	7.25"
	Width W (Metric)	184.15mm
	Height H (Imperial)	5.0"
	Height H (Metric)	127.0mm
	Horizontal Repeat HR (metric)	182.8mm
	Horizontal Repeat HR (imperial)	7.2"
Material and Specifications		
	Material	Vinyl
	Material Shortcut	VL

generated on: 4/29/2017

596-00251



Material and Specifications	Halogenfree	Yes
	Operating Temperature	-18°F to +200°F (-29°C to +93°C)
	ROHS Compliant	Yes
	Certification/Specification	NEC2011
Logistic and Packaging		
	Package Quantity (Imperial)	25
	Package Quantity (Metric)	25
	Customs Number(Schedule B)	3919905060

generated on: 4/29/2017