

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



The illustration shows a box mounting base version for double

locking latch, with protective cover

Box mounting base, with single locking latch, height 52 mm, with screw connection, 1x Pg16, with protective covers



Key commercial data

| Packing unit | 1 pc |
|--------------------------------------|-----------------|
| GTIN | 4 017918 115807 |
| Weight per Piece (excluding packing) | 301.9 GRM |
| Custom tariff number | 85389099 |
| Country of origin | Germany |

Technical data

Dimensions

| Height | 52 mm |
|-------------------------|--------------|
| Width | 52 mm |
| Length | 93 mm |
| Wrench size, union nut | 22 mm |
| External cable diameter | 7.5 mm 15 mm |

Ambient conditions

| Degree of protection of housing (IP) | IP65 |
|--------------------------------------|---------------|
| Ambient temperature (operation) | -40 °C 125 °C |

General

| Note | For contact inserts HV-HV3 |
|------|----------------------------|



Technical data

General

| Design | HV3 |
|------------------------------|--|
| Housing type | Box mounting bases |
| Locking type | With single locking latch |
| No. of cable exits | 1 |
| Cable exit | Left (view of the opened single locking latch) |
| Screw connection | With |
| Type of the screw connection | 1x Pg16 |
| Protective cover | Yes |
| Housing material | Aluminum die-cast |
| Housing surface material | Powder-coated, gray |
| Seal material | NBR |
| Cable gland material | Nickel-plated brass |
| Cable seal material | NBR |
| Material lock | High-grade steel |
| Material grip body interlock | PA-GF |
| Material, protective cover | PA |

Classifications

eCl@ss

| eCl@ss 4.0 | 27140816 |
|------------|----------|
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27143424 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 7.0 | 27440209 |
| eCl@ss 8.0 | 27440209 |

ETIM

| ETIM 2.0 | EC000437 |
|----------|----------|
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

UNSPSC

| UNSPSC 6.01 | 31261502 |
|---------------|----------|
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11 | 31261502 |




Classifications

UNSPSC

| UNSFSC | |
|---------------------|----------|
| UNSPSC 12.01 | 31261502 |
| UNSPSC 13.2 | 31261502 |
| Approvals | |
| Approvals | |
| Approvals | |
| GOST | |
| Ex Approvals | |
| Approvals submitted | |
| Approval details | |
| GOST 💽 | |

Drawings





© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com