



Model #: N001-250-GY

250-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray



Highlights

- Cabling for Category 5 (Cat5) and 5e (Cat5e) applications
- Solid Conductor wire for long distance performance
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 5e, draft 11)
- Feature molded connectors with integral strain relief. Rated for 350 MHz/ 1 Gbps communication.
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation

Description

Tripp Lite's 250-ft. gray snagless category 5e (Cat5e) patch cable has 2 snagless RJ45 molded male connectors featuring integral strain relief. The cable is manufactured from PVC 4-pair Solid Conductor UTP for improved long run performance, and is rated for 350MHz/1Gbps communication. All cables are offered in a variety of lengths and colors for all category 5 (Cat5) and 5e cabling needs. Standard category 5e patch cables are also available.

System Requirements

• For 1000Base-T (1Gbps Ethernet), 10/100Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring Type3 applications.

Package Includes

• 250Ft Gray Snagless Cat5e Patch Cable

Features

- Cabling for category 5 (Cat5) and 5e (Cat5e) applications
- Length: 250- Ft. Color: gray Connectors: RJ45 male
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair Solid UTP
- Rated for 350MHz/ 1Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 5e draft
 11)
- Available in other colors and lengths
- Also available without the snagless feature (N002 series)
- Also available Cat6 cables (N201 series)

Specifications

OVERVIEW	
Intended Application	Computer Networking

Cable Type	CAT5 / CAT5E			
Model Type	Snagless Patch Cables			
INPUT				
Cable Length (ft.)	250			
Cable Length (m)	76.20			
UPC Codes				
Unit Carton UPC#	037332041975			
PHYSICAL				
Color	Gray			
Style	Cat5/5e			
CONNECTIONS				
Connector A	RJ45 (MALE)			
Connector B	RJ45 (MALE)			
CERTIFICATIONS				
Approvals	IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 5e, draft 11)			
WARRANTY				
Product Warranty Period (Worldwide)	Lifetime limited warranty			

Related Items

Optional Products

Related Model	Description	Qty.
DNET1	Network Surge Suppressor - Essential protection for data and communication lines	1
N001-050-BK	50-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Black	1
N001-050-BL	50-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Blue	1
N001-125-GY	125-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray	1
N001-150-GY	150-ft. Cat5e 350MHz Snagless Molded Cable (RJ45 M/M) - Gray	1
N010-007-GY	7-ft. Cat5e 350MHz Molded Cross-over Cable (RJ45 M/M) - Gray	1
N022-01K-GY	1000-ft. Cat5e 350MHz Bulk Solid-core PVC Cable - Gray	1
N032-001	Cat5e Straight Through Modular In-line Coupler (RJ45 F/F)	1
N033-001	Straight Through Modular In-line Coupler (RJ45 F/F)	1
N050-012	12-Port Cat5e Wall Mount Patch Panel 568B	1

N052-012	12-Port Cat5e Patch Panel 568B	1
N052-024	24-Port Cat5e Patch Panel 568B	1
N052-048	48-Port Cat5e Patch Panel 568B	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2494.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.