

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0639102700](#)
Status: **Active**
Description: T2 Terminator Tooling Die

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T1801
Comments	Can be installed in the TM-42™ and TM-40™ Press or Base Unit Adapter for 3BF Press, See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	T2
Survey	www.molex.com//review/apptool_survey.html
Tool Type	T2 Terminator Die

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-639102700, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638500090, TM-638500090SP




image - Reference only

EU RoHS **China RoHS**

Compliance Status
Not Reviewed
REACH SVHC
Not Reviewed
Low-Halogen Status
Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T1801Series

Use With

Molex TM-42™ press, [0690025001](#) , [0690025000](#) , and base unit, [0011193001](#) for the 3BF press

Application Tooling | **FAQ**
Description **Product #**

4.20mm (.165") Pitch	0039000155
Mini-Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	
4.20mm (.165") Pitch	0039000221
Mini-Fit® Crimp Terminal, Male, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	
4.20mm (.165") Pitch	0039000139
Mini-Fit® Crimp Terminal, Female,	

with Selective Gold
(Au) and Selective
Tin (Sn) over Nickel
(Ni), 22-28 AWG,
Reel
4.20mm (.165") Pitch 0039000145
Mini-Fit® Crimp
Terminal, Male,
Brass, Gold (Au)
Contact Plating,
Lead-free, 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000046
Mini-Fit® Crimp
Terminal, Female,
with Tin (Sn) over
Copper (Cu) Plated
Brass, 22-28 AWG,
Reel
4.20mm (.165") Pitch 0039000048
Mini-Fit® Crimp
Terminal, Male, with
Tin (Sn) Plated Brass
Contact, 22-28 AWG,
Reel
4.20mm (.165") Pitch 0039000065
Mini-Fit® Crimp
Terminal, Female,
Phosphor Bronze,
Tin (Sn), 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000067
Mini-Fit® Crimp
Terminal, Male,
Phosphor Bronze,
Tin (Sn), 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000128
Mini-Fit® Crimp
Terminal, Male,
Tin (Sn), Phosphor
Bronze, 22-28 AWG,
Reel
4.20mm (.165") Pitch 0039000183
Mini-Fit® Crimp
Terminal, Female,
Phosphor Bronze,
Gold (Au), 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000209
Mini-Fit® Crimp
Terminal, Female,
with Tin (Sn) over
Nickel (Ni), 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000215
Mini-Fit® Crimp
Terminal, Female,
Phosphor Bronze,
Tin (Sn), 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000432
Mini-Fit® Crimp
Terminal, Male,
Brass, Gold (Au)

Contact Plating,
Lead-free, 22-28
AWG, Reel
4.20mm (.165") Pitch 0039000434
Mini-Fit® Crimp
Terminal, Female,
with Selective Gold
(Au) and Selective
Tin (Sn) over Nickel
(Ni), 22-28 AWG,
Reel

This document was generated on 06/28/2011

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION