

Model #: P222-006

6-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)

Highlights

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- For AT and PS/2 keyboards



Description

Extend the length of the cable on any PS/2 device, such as a mouse or keyboard, by using a Tripp Lite 6ft PS/2 extension cable. MiniDIN6 male to MiniDIN6 female. superior molded cables with foil-shielding for maximum EMI/RFI protection.

System Requirements

• PS/2 device or cable with MiniDin6 Male connector

Package Includes

• 6-ft. PS/2 Keyboard/Mouse Extension MiniDIN6M to MiniDIN6F

Features

- Superior molded cables with foil-shielding for maximum EMI/RFI protection.
- For PS/2 keyboards and mice
- MiniDIN6 (male) to MiniDIN6 (female)

Specifications

OVERVIEW		
Intended Application	Connecting Peripherals	
Cable Type	KEYBOARD / MOUSE	
INPUT		
Cable Length (ft.)	_6	
Cable Length (m)	1.83	
UPC Codes		
Unit Carton UPC#	037332011893	
PHYSICAL		

Color	Beige		
Style	Keyboard/Mouse		
CONNECTIONS			
Connector A	MINI DIN-6 (MALE)		
Connector B	MINI DIN-6 (FEMALE)		
WARRANTY			
Product Warranty Period (Worldwide)	Lifetime limited warranty		

Related Items

Optional Products

Related Model	Description	Qty.
B007-008	KVM Switch - 8-Port 1U Rackmount KVM Switch with On-Screen Display	1
P106-000	AT to PS2 Keyboard Adapter (DIN5F to Mini-DIN6M)	1
P108-000-R	PS/2 to AT Keyboard Adapter (DIN5M to Mini-DIN6F)	1
P222-006	6-ft. PS/2 Keyboard/Mouse Coiled Extension Cable (Mini-DIN6 M/F)	1
P222-010	10-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)	1
P222-015	15-ft. PS/2 Keyboard/Mouse Extension Cable (Mini-DIN6 M/F)	1
P230-001	1-ft. PS/2 Keyboard/Mouse Y SplitterCable (Mini-DIN6M to 2x Mini-DIN6F)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=2233.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.