## NOTES

I. MATERIALS AND FINISHES:
BODY - SUB ASSEMBLY-BRASS, NICKEL PLATING
CONTACT - BERYLLIUM COPPER, SILVER PLATING

INSULATOR - COPOLYMER OF STYRENE

A. IMPEDANCE: 50 OHM

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: -65° C TO +165° C


4. PACKAGING:


A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED

"AMPHENOLRF, 31-105, AND DATE CODE"

NOTES:

WHEN DRILLING PANEL BE SURE TO ALLOW CLEARANCE FOR DIMENSIONS SHOWN





 $\oplus$ 

REV


Α

N

31-105

DRAWING NO.

THIRD ANGLE PROJ.



ECO

1736

40171

47832

APPR

CPM/DR

ΚR

DATE


3/17/50

2/1/95


11/29/11

SCALE 2.000

RECOMMENDED MOUNTING
HOLE DIMENESIONS FOR
FLANGE FRONT PANEL



## RECOMMENDED MOUNTING HOLE DIMENESIONS FOR FLANGE BEHIND OF PANEL



REVISIONS

DESCRIPTION

OFFICIAL ENG. RELEASE TO MFG

SEE SHEET I

REDRAWN IN PRO-E, INTERFACE SPEC NOTE ADDED

## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

±.015 (0,381 mm)	±.005 (0,127 mm)	± 1°
	ecifications, or other data (1) (2) must be returned upon reque	
confidential and not to be	disclosed to any person other t	than those to whom they
	The furnishing of these drawi or to any other person to ar.	
	cation or otherwise in any manr older or any other person to mo	
	patented or otherwise, that mo	

or disclosed by said drawings, specifications, or other data.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:

	-	
	SEE	NOTES
REFERENCE		

DRAWN	DATE
KARTHIK R	12 - Jan - 10
ENGINEER	DATE
D.J.P	9/29/66
APPROVED	DATE
	1/27/95
CAD FILE	

1	
	TITLE
	"BNC"
	RECEPTACLE
	ASSEMBLY

Amphenol RF
Danbury, CT, USA
Tainan, Taiwan
Shenzhen, China
www.amphenolrf.com

SCALE: 4.5:1 SHEET 2 OF 2

code id dwg size drawing no. 74868 B 31-105 Rev