



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
G	86						
		2		CHANGED STAMP TO AMP	20JUN07	HMR	JR



- 1 WIRE INSULATION: .465-.513 DIA
- 2 THE TONGUE RADIUS FEATURE IS NOT A TOOLING CONTROLLED DIMENSION AND MAY NOT BE A TRUE RADIUS.
- 3 FLASH PERMITTED ±.020
- 4 STAMP "AMP 1/0 AL 13-78" SIZE AND LOCATION APPROX AS SHOWN SEE TABLE FOR QUALIFICATION PORTION OF STAMP
M = MACHINED PART
U = UNQUALIFIED
P = PRODUCTION (IMPACT PART)
- 5 PRELIMINARY - NOT FOR PRODUCTION INSULATION CRIMP MUST BE QUALIFIED BY TYCO ENGR. BEFORE BEING RELEASED TO PRODUCTION.



-	PRODUCTION AND QUALIFIED	P AMP	INSERT & FUNNEL: BRASS MIL-C-50 NICKEL PL QQ-N-290 .000300 AVG THK BODY: COPPER ASTM-B187 ANNEALED TIN PL PER ASTM B-545 .000150 MIN THK	5 696957-4
RED STRIPE	PRODUCTION AND UNQUALIFIED	P AMP U		5 696957-3
-	MACHINED AND QUALIFIED	M AMP		5 696957-2
RED STRIPE	MACHINED AND UNQUALIFIED	M AMP U		5 696957-1
COLOR CODE	QUALIFICATION DESCRIPTION 4	QUALIFICATION STAMP 4		MATERIAL & FINISH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	JR RUTH	09MAY06		Tyco Electronics Corporation	
CHK	MJ SPICER	09MAY06		Harrisburg, PA 17105-3608	
APVD	MJ SPICER	09MAY06		NAME	
PRODUCT SPEC	-			WIRE TERMINAL, RING TONGUE SEALED COPALUM, 2 HOLE WIRE SIZE: 1/0 ALUMINUM	
APPLICATION SPEC	-		SIZE	CAGE CODE	DRAWING NO
MATERIAL	SEE TABLE	FINISH	SEE TABLE	WEIGHT	62 GRAMS
CUSTOMER DRAWING			SCALE	2:1	SHEET 1 of 1

RESTRICTED TO: -

REV 2