REVISION G

RECOMMENDED PCB LAYOUT FOR HDMR-XX-XX-XX-XX-XX

5/9/2013 ECN-203734

HDMR FORMERLY KNOWN AS HDMI




FIG 1 -19 POSITION SHOWN (USE WITH -02-X-SM OPTION)

NOTES:

1. ALL DIMENSIONS SYMMETRIC ABOUT THE CENTERLINE

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SANTEC, INC., AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.



e-Mail info@SAMTEC.com code 55322

revision g	RECOMMENDED STENCIL LAYOUT FOR HDMR-XX-XX-XX-XX-XX				
			— + —		
		FIG 2 -19 POSITION SHOWN (USE WITH -02-X-SM OPTION)			

(SAME AS FIG 1, EXCEPT AS SHÓWN)

NOTES:

1. RECOMMENDED STENCIL THICKNESS .006 [.152mm].

PROPRIETARY NOTE

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION

CONFIDENTIAL AND PROPRIETARY TO

SAMTEC, INC. AND SHALL NOT BE REPRODUCED

OR TRANSFERRED TO OTHER DOCUMENTS OR

DISCLOSED TO OTHERS OR USED FOR ANY

PURPOSE OTHER THAN THAT WHICH WAS

OBTAINED WITHOUT THE EXPRESSED WRITTEN

CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322 SHEET 2 OF 6

RECOMMENDED PCB LAYOUT FOR HDMR-XX-XX-XX-XX-XX




FIG 3
-19 POSITION SHOWN
(USE WITH -01-X-SM OPTION)
(SAME AS FIG 1, EXCEPT AS SHOWN)

TABLE 1					
No. OF POS	"A"	"B"	"C"	"D"	
-19	0.354 [9.00]	0.235 [5.96]	0.571 [14.50]	0.591 [15.00]	G
-29	0.551 [14.00]	0.232 [5.90]	0.858 [21.80]	0.878 [22.30]	

NOTES:

1. ALL DIMENSIONS SYMMETRIC ABOUT THE CENTERLINE.

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322




FIG 4 -19 POSITION SHOWN (USE WITH -01-X-SM OPTION) (SAME AS FIG 3, EXCEPT AS SHOWN)

NOTES:

- 1. ALL DIMENSIONS SYMMETRIC ABOUT THE CENTERLINE. 2. RECOMMENDED STENCIL THICKNESS .006 [.152mm].

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322
SHEET 4 OF 6




FIG 5 -19 POSITION SHOWN (USE WITH -01-X-TH OPTION)

NOTES:

1.ALL DIMENSIONS SYMMETRIC ABOUT THE CENTERLINE.

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMIEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMIEC, INC.



e-Mail info@SAMTEC.com

code 55322




FIG 6 RECOMENDED PANEL CUTOUT

TABLE 2							
	"E"	"F"	"G"				
-19 POS	15.7 [.62]	10.8 [.43]	13.25 [.52]				
-29 POS	23.0 [.91]	18.8 [.74]	21.1 [.83]				

NOTES:

1. ALL DIMENSIONS SYMMETRIC ABOUT THE CENTERLINE.

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

-SHEET 6 OF 6 ^J